



## SAFETY DATA SHEET

### Section 1: Product and Company Information

**Product Name(s):** Beta<sup>®</sup> fibers, Cardable fiber, Chopped Strand, Conductive Roving, E-Glass Yarns, Multitex, S-1 Glass<sup>®</sup> fibers, S-2 Glass<sup>®</sup> fibers, S-3 Glass<sup>®</sup> fibers, Wax Bonded Strand, Polyester Combination Yarn, VeTron<sup>™</sup> fibers, Yarns, ZenTron<sup>®</sup> fibers, L-Glass<sup>™</sup> fibers, S-3 HDI Glass<sup>™</sup> fibers, S-3 HPB Glass<sup>™</sup> fibers, S-3 UHM Glass<sup>™</sup> fibers, or S-1 HM Glass<sup>®</sup> fibers.

**Manufacturer:**

AGY World Headquarters  
2556 Wagener Rd.  
Aiken, SC 29801  
Telephone: 1-803-643-1212 (8am to 5pm ET, weekdays)

**Emergency Contacts:**

CHEMTREC (24 hours everyday): 1-800-424-9300

**Health and Technical Contacts:**

1-888-434-0945 (8am to 5pm ET, weekdays)

### Section 2: Hazards Identification

**Emergency Overview**

No unusual conditions are expected from this product



**Appearance and Odor:** White/off-white colored solid with no odor.

**Primary Route(s) of Exposure:** Inhalation, lungs, skin, eye

**Potential Health Effects:**

**Inhalation:**

Dusts and fibers from this product may cause mechanical irritation of the nose, throat and respiratory tract.

**Skin Contact:**

Dusts and fibers from this product may cause temporary mechanical irritation to the skin.

**Eye Contact:**

Dusts and fibers from this product may cause temporary mechanical irritation to the eyes.



## SAFETY DATA SHEET

### Ingestion:

Ingestion of this product is unlikely. However, ingestion of product may produce gastrointestinal irritation and disturbances.

### Medical Conditions Aggravated by Exposure:

Chronic respiratory and skin conditions may temporarily worsen from exposure to this product.

### Chronic Conditions:

See Section 11 for additional information.

## Section 3: Composition and Ingredient Information

Common Name	CAS No.	Wt. %
Fiber Glass (non-respirable)*1	65997-17-3	98 - 100
Size*2	NA	0 - 2 %

**Note:** \*1 – As manufactured continuous filament glass fibers are not respirable. Continuous filament glass products that are chopped, crushed or severely mechanically processed during manufacturing or use may contain a very small amount of respirable particulate, some of which may be glass shards. See Section 8 of Safety Data Sheet for exposure limit data. \*2 - See Section 15 of SDS for concentrations of California Proposition 65 chemicals and other regulatory information relative to this product(s).

### Component Related Regulatory Information

This product may be regulated, have exposure limits or other information identified as the following: glass wool fiber, fibrous glass and nuisance particulates.

### Component Information/Information on Non-Hazardous Components

No additional information available.

## Section 4: First Aid Measures

### Inhalation:

Move person to fresh air. Seek medical attention if irritation persists.

### Skin Contact:

For skin contact, wash with mild soap and cold water. Do not wash with warm water because this will open up the pores of the skin, which will cause further penetration of the fibers. Use a washcloth to help remove fibers. To avoid further irritation, do not rub or scratch affected areas. Rubbing or scratching may force fibers into skin. If irritation persists get medical attention.



## SAFETY DATA SHEET

**Eye Contact:**

Immediately flush eyes with plenty of running water for at least 15 minutes. If irritation persists get medical attention.

**Ingestion:**

Ingestion of this material is unlikely. If it does occur, watch the person for several days to make sure that intestinal blockage does not occur.

### Section 5: Fire Fighting Measures

**Flash Point:** None

**Flash Point Method:** Not determined

**Upper Flammability Limit:** None

**Lower Flammability Limit:** None

**Flammability Classification:** Non-flammable

**Vapor Density (Air = 1):** Not Applicable

**Extinguishing Media:** Water fog, foam, carbon dioxide (CO<sub>2</sub>) or dry chemical.

**Unusual Fire and Explosion Hazards:** None known.

**Fire Fighting Instructions:** Use self-contained breathing apparatus (SCBA) and full bunker turnout gear in a sustained fire.

**Hazardous Combustion Products:** Primary combustion products are carbon monoxide, hydrogen, carbon dioxide and water. Other undetermined compounds could be released in small quantities.

### Section 6: Accidental Release Measures

**Containment Procedures:** This material will settle out of air. If concentrated on land, it can be scooped up for disposal as non-hazardous waste. This material will sink and disperse along the bottom of waterways and ponds. It cannot easily be removed after it is waterborne; however, the material is non-hazardous in water.

**Clean-Up Procedures:** Scoop up material and put into a suitable container for disposal as a non-hazardous waste.

**Response Procedures:** Isolate area. Keep personnel away.

**Special Procedures:** None.



## SAFETY DATA SHEET

### Section 7: Handling and Storage

**Handling Procedures:** Keep product in its packaging, as long as practicable to minimize potential dust generation. Keep work areas clean. Avoid unnecessary handling of scrap materials. Wear PPE as described in Section 8.

**Storage Procedures:** No special procedures.

### Section 8: Exposure Controls and Personal Protection

**Exposure Guidelines:**

**A: General Product Information:** Follow all applicable exposure limits.

**B: Exposure Limits:**

**Fiber Glass Continuous Filament (65997-17-3)**

Ingredient	OSHA PEL (8-hr TWA)	ACGIH TLV (8-hr TWA)
Non-respirable fibers and particulate	15 mg/m <sup>3</sup> (total dust)(a)	5 mg/m <sup>3</sup> (inhalable fraction)
Respirable particulate	5 mg/m <sup>3</sup> (respirable dust)(b)	3 mg/m <sup>3</sup> (PNOC)*
Respirable particulate with fiber like dimensions (glass shards)	None Established	1 fiber/cm <sup>3</sup> aspect ratio >5:1
<b>Size</b>	None Established	None Established

\*PNOC = Particles not otherwise classified

**Ventilation:** General dilution ventilation and/or local exhaust ventilation should be provided as necessary to maintain exposures below occupational exposure limits.

#### **PERSONAL PROTECTIVE EQUIPMENT**

**Respiratory Protection:** A properly fitted NIOSH approved N 95 series disposable dust respirator such as the 3M model 8210 (model 8271 in high humidity environments) or equivalent should be used when high dust levels are encountered, the level of glass fibers in the air exceeds the occupational exposure limits, or if irritation occurs.



## SAFETY DATA SHEET

**Skin Protection:** Normal work clothing (long sleeved shirts and long pants) is recommended. Use gloves. Skin irritation is known to occur chiefly at pressure points such as around neck, wrists, waist, and between fingers.

**Eye/Face Protection Equipment:** Wear safety glasses, goggles or face shield.

### Section 9: Physical and Chemical Properties

<b>Appearance:</b>	White/off-white Solid	<b>Odor:</b>	None
<b>Physical State:</b>	Solid	<b>pH:</b>	Not Applicable
<b>Vapor Pressure (mm Hg @ 20°C):</b>	Not Applicable	<b>Vapor Density (Air = 1):</b>	Not Applicable
<b>Boiling Point:</b>	Not Applicable	<b>Solubility (H<sub>2</sub>O):</b>	Insoluble
<b>Specific Gravity (Water=1):</b>	2.60	<b>Freezing Point:</b>	Not Applicable
<b>Evaporation Rate (n-Butyl Acetate = 1):</b>	Not Applicable	<b>Viscosity:</b>	Not Applicable
<b>VOC:</b>	< 0.4%	<b>Melting Point:</b>	> 800°C

**Physical Properties: Additional Information**  
No additional information available.

### Section 10: Chemical Stability and Reactivity Information

**Stability:** This is a stable material.

**Conditions to Avoid:** None known.

**Incompatible Materials:** None known.

**Hazardous Decomposition Products:** Sizings or binders may decompose in a fire. See Section 5 of SDS for information on hazardous combustion products.

**Hazardous Polymerization:** Will not occur.



## SAFETY DATA SHEET

### Section 11: Toxicological Information

#### Acute Effects:

##### **General Product Information**

Dusts may cause mechanical irritation of the eyes and skin. Ingestion may cause transient irritation of throat, stomach and gastrointestinal tract. Inhalation may cause coughing, nose and throat irritation, and sneezing. People with pre-existing respiratory conditions, may experience difficulty breathing, congestion and chest tightness.

#### **Carcinogenicity:**

**Fiber Glass Continuous Filament:** The International Agency for Research on Cancer (IARC) in June, 1987, categorized fiber glass continuous filament as not classifiable with respect to human carcinogenicity (Group 3). The evidence from human as well as animal studies was evaluated by IARC as insufficient to classify fiber glass continuous filament as a possible, probable, or confirmed cancer causing material.

The American Conference of Governmental Industrial Hygienists (ACGIH) A4 classification, not classifiable as a human carcinogen, for respirable continuous filament glass fibers is based on inadequate data in terms of its carcinogenicity in humans and/or animals.

For respirable continuous filament glass fibers, a TLV-TWA of 1 fiber/cc was adopted to protect workers against mechanical irritation. The TLV-TWA of 5 mg/m<sup>3</sup> was adopted for non-respirable glass filament fiber, measured as inhalable dust, to prevent mechanical irritation of the upper respiratory tract.

**Note: There are no known chronic health effects connected with long-term use or contact with these products.**

Products that are chopped, crushed or severely mechanically processed during manufacture or use may contain a very small amount of respirable glass fiber-like fragments. NIOSH defines "respirable fibers" as greater than 5 microns in length and less than 3 microns in diameter with an aspect ratio of  $\geq 5:1$  (length-to-width ratio).

#### **Chronic Study in Animals**

A laboratory test was conducted with a different product (special application glass fiber) with comparable composition and durability. Test animals breathing very high concentrations of respirable fibers on a long-term basis developed fibrosis, lung cancer and mesothelioma.

About 23% of the rats (n=43) exposed to 1022 f/cc for 5 hrs/day, 7 days/week for 52 weeks developed lung tumors (adenoma and carcinoma). Five percent (5%) of the unexposed control group (n=38) developed lung tumors (adenoma and carcinoma).

Five percent (5%) of the rats in the exposed group developed mesothelioma and 12.5% developed advanced fibrosis. None of the rats in the unexposed control group developed mesothelioma and 0.6 % developed advance fibrosis.



## SAFETY DATA SHEET

A second group of rats was exposed to a similar concentration of asbestos (respirable amosite fibers) for 5 hours/day, 7 days a week for 52 weeks. 38% of the rats developed lung tumors (adenoma and carcinoma) and 5 % developed mesothelioma. 14.5 % developed advance fibrosis.

Importantly, this result, that is similar disease rates for the special application fiber and amosite asbestos, had been predicted in a 1996 scientific paper (Inhal. Tox. 8:323-343, 1996 ref). That paper specifically stated that in rats all fibers which were durable enough to remain in a rat lung for two (2) years or more, would produce the same disease rates if the exposures were the same. While the special application fiber is much less durable than asbestos, it is stable enough to remain in the rat lung for more than the two (2) year time period. The results of the current study are therefore not unexpected, and they do not indicate that similar disease rates would be seen in longer lived species or humans, exposed to these fibers.

### **B: Component Carcinogenicity**

#### **Fiber Glass Continuous Filament (65997-17-3)**

ACGIH: A4 – Not classified as a human carcinogen.

IARC: Group 3 “not classifiable as to its carcinogenicity to humans”

October 2001 meeting

## Section 12: Ecological Information

No data available for this product. This material is not anticipated to harm animals, plants or fish.

## Section 13: Disposal Considerations

### **US EPA Waste Number & Descriptions:**

#### **A: General Product Information**

Material, if discarded, is not expected to be a characteristic hazardous waste under RCRA.

#### **B: Component Waste Numbers**

No EPA Waste Numbers are applicable for this product's components.

#### **Disposal Instructions**

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.



## SAFETY DATA SHEET

### Section 14: Transport Information

#### US DOT/TDG (Canada) Information

**Shipping Name:** Not regulated for transport  
**Hazard Class:** None  
**UN/NA #:** None  
**Packing Group:** None  
**Required Labels:** None

**Additional Transportation Regulations:**  
No additional information available.

### Section 15: Regulatory Information

#### US Federal Regulations:

**A: General Product Information**  
No additional information available.

**B: Component Analysis**  
No additional information available.

The following is provided to aid in the preparation of SARA 311 and 312 reports.

#### SARA 311/312

**Acute Health Hazard:** No  
**Chronic Health Hazard:** No  
**Fire Hazard:** No  
**Sudden Release of Pressure Hazard:** No  
**Reactive Hazard:** No

#### C: Clean Air Act

The following components appear on the Clean Air Act – 1990 Hazardous Air Pollutants List:  
**None**

#### State Regulations:

**A: General Product Information**  
No additional information available.





## SAFETY DATA SHEET

### B: Component Analysis – California

California Proposition 65: Chemical	CAS Number:	Concentration - Parts Per Billion (PPB) Maximum
1, 4-Dioxane	123-91-1	< 5.0
Acetaldehyde	75-07-0	< 5.0
Ethylene Oxide	75-21-8	< 5.0
Formaldehyde	50-00-0	< 12.1

### Other Regulations:

#### A: General Product Information

No additional information available.

#### B: Component Analysis - Inventory

Component	CAS #	TSCA	DSL	EINECS
Fiber Glass (Continuous Filament)	65997-17-3	Yes	Yes	266-046-0

#### C: Component Analysis – WHMIS IDL

The following components are identified under the Canadian Hazardous Products Act Ingredient Disclosure List:

**None**

**WHMIS Status:** Not controlled

**WHMIS Classification:** None

#### D: Other Government Regulations

Continuous filament glass products are not classified as a “Dangerous Substance” or a “Dangerous Preparations” under the EU Directive 88/379/EEC and UK REACH.

- 1. Classification and Labeling (EEC)** – This product is not required to be labeled under Council Directives 88/379EEC, 67/548/EEC, Annex I, 97/69/EC, and UK REACH
- 2. CERTIFICATION STATEMENT for:**  
Directive 2002/95/EC for RoHS and Directive 2002/96/EC for WEEE  
Based on our current glass analyses, AGY certifies that our fiberglass yarns are well below the requirements of both of these Directives.

Continuous glass fiber products are defined as articles under EU / UK (REACH & CLP), US Regulation (TSCA), and Japanese Regulations (Industrial Safety and Health Law, Pollutant Release and Transfer Register) and therefore no SDS is legally required. AGY, however, has determined that it is in the best interest of our customers to maintain an up-to-date SDS for the purpose of supplying industry with the best, most descriptive information available for the safe handling and ongoing use of its products.



## SAFETY DATA SHEET

### Section 16: Other Information

HMIS and NFPA Hazard Ratings:	Category	HMIS	NFPA
	Acute Health	1	1
	Flammability	0	0
	Reactivity	0	0

**NFPA Unusual Hazards:** None.

**HMIS Personal Protection:** To be supplied by user depending upon use.

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of the merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

### SDS Change Log

Effective Date	Revisions to Section:	Supersedes
August 09, 1999		**NEW**
August 31, 1999	1 – Added Trade Mark ® names	August 09, 1999
March 14, 2001	Reviewed entire SDS & added California Proposition Chemicals data in Section 15	August 31, 1999
April 12, 2002	Reviewed entire SDS & added VeTron™ Trade Mark in Section 1	March 14, 2001
April 14, 2004	Reviewed entire SDS & Changed name to “AGY”	April 12, 2002
April 12, 2005	Reviewed entire SDS & added “Other Chemicals” data to Section 15	April 14, 2004
May 22, 2006	Reviewed entire SDS & amended “Other Chemicals” data in Section 15 to remove use of Tributyl Tin Oxide (TBTO) compounds and to update per modified European Directive on Restriction of Hazardous Substances.	April 12, 2005
June 18, 2007	Added certification statement for RoHS & removed large table from Section 15. Length reduced from 15 pages to 13 pages.	May 22, 2006
October 23, 2007	Clarified certification statements for Directive 2002/95/EC for RoHS and Directive 2002/96/EC for WEEE. Length reduced from 13 pages to 11 pages.	June 18, 2007



## SAFETY DATA SHEET

June 23, 2008	Added E-Glass Yarns and <b>S-1 Glass</b> <sup>®</sup> Fibers to product name(s).	October 23, 2007
August 1, 2008	Revised Section 8 – added ACGIH exposure limits for glass fibers.	June 23, 2008
April 8, 2010	Added <b>S-3 Glass</b> <sup>®</sup> fibers and <b>L-Glass</b> <sup>™</sup> fibers to Product Name(s).	August 1, 2008
January 13, 2012	Adjusted registration marks and added <b>S-1 HM Glass</b> <sup>™</sup> fibers.	April 8, 2010
October 19, 2012	Added <b>S-3 HDI Glass</b> <sup>™</sup> fibers, <b>S-3 HPB Glass</b> <sup>™</sup> fibers, <b>S-3 UHM Glass</b> <sup>™</sup> fibers.	January 13, 2012
December 11, 2013	Reversed Sections 2 and 3 to meet requirements of OSHA 1910.1200(g)(2). Changed Material Safety Data Sheet (MSDS) to Safety Data Sheet (SDS).	October 19, 2012
March 10, 2016	Converted <b>S-1 HM Glass</b> <sup>™</sup> to <b>S-1 HM Glass</b> <sup>®</sup>	December 11, 2013
February 8, 2017	Added language Section 15D regarding regulations.	March 10, 2016
March 26, 2019	Removed SARA 311/312 Acute Health Hazard	February 8, 2017
February 14, 2022	Reviewed / Revised section 15 for UK REACH requirements.	March 26, 2019