


# AGY Advanced Materials

## S-2 Glass® Fibers Sized and Chopped for Thermoplastic Compounding



AGY, the leading global producer of high-strength glass fibers, introduces chopped S-2 Glass® fibers that are sized for use in thermoplastic compounding and offers higher strength and improved impact over traditional glass filled thermoplastics.

### Features and Benefits

- The use of S-2 Glass fibers allows the compounder to reach new levels of mechanical performance with the same glass loading or to reduce glass loading to keep the same mechanical performance but improving other features of the thermoplastic compound
- S-2 Glass offers higher physical properties than the traditional E-Glass materials used in compounding of thermoplastics today. These properties translate directly into the finished compound
- Chopped S-2 Glass is available in two diameters, 9 microns and 7 microns to gain maximum performance in thin wall and high mechanical performance moldings. Chop length of 5/32" (4mm) as standard. Also available from 1/8" to 2" (3.2mm to 51mm) in chop length
- S-2 Glass is an AGY proprietary glass formulation designed to maximize mechanical and thermal properties
  - Non-conductive for electrical applications
  - Excellent impact performance
  - Low coloration of resins and finished parts
- A range of sizing chemistries available including PEEK, PEKK, PEI, PPS, PC, PBT, PA11 & 12, PVDF, and PTFE
- Boron free – environmentally friendly

For product samples please call +1.888.434.0945 (Toll Free US) or +33 4727 81775 (France)

# AGY Advanced Materials

## S-2 Glass® Fibers Sized and Chopped for Thermoplastic Compounding

Processability	S-2 Glass Chop			
	528	574	544	553
Hopper Flow	Excellent	Excellent	Excellent	Excellent
Low Fines	Excellent	Excellent	Excellent	Excellent
High Strand Integrity	Excellent	Excellent	Excellent	Excellent
Air Conveyance	Excellent	Excellent	Excellent	Excellent
Mechanical Conveyance	Excellent	Excellent	Excellent	Excellent
Low Static	Excellent	Moderate	Moderate	Excellent
Polymer/Resin Compatibility				
PBT	Excellent	Moderate	Moderate	Moderate
PEI	Moderate	Moderate	Poor	Excellent
PVDF	Poor	Excellent	Poor	Poor
PTFE	Poor	Excellent	Poor	Poor
PA	Moderate	Moderate	Excellent	Moderate
PC	Excellent	Moderate	Moderate	Moderate
PPS	Moderate	Moderate	Moderate	Excellent
PEEK, PEKK	Moderate	Moderate	Poor	Excellent

<span style="display:inline-block; width:15px; height:15px; background-color:red; border:1px solid black;"></span> Excellent
<span style="display:inline-block; width:15px; height:15px; background-color:lightgray; border:1px solid black;"></span> Moderate
<span style="display:inline-block; width:15px; height:15px; background-color:black; border:1px solid black;"></span> Poor
<span style="display:inline-block; width:15px; height:15px; background-color:white; border:1px solid black;"></span> N/A

AGY has developed a wide range of solutions, optimized to maximize performance, in a wide variety of resin systems. If you do not see the product for your application above, contact AGY to discuss how we can meet the challenge of developing a solution to meet your needs.

AGY has a long standing track record of meeting the demands for challenging customer requirements with unique and dynamic modifications of sizing and glass fiber chemistries. AGY has the largest portfolio of glass chemistries of any glass fiber manufacturer including E-Glass, S-2 Glass®, L-Glass™, S-1 Glass®, and S-1 HM™ Glass along with a range of specifically designed products under the S-3 Glass nomenclature including S-3 HPB® for the healthcare marketplace, S-3 HDI™ for use in the electronics marketplace and S-3 UHM™ for high stiffness applications in a wide range of markets and applications.



**World Headquarters/Americas**  
2556 Wagener Road  
Aiken, South Carolina, 29801 USA  
Phone: +(1) 888.434.0945 (toll free)  
+(1) 803.643.1501  
Fax: +(1) 803.643.1180  
Email: asktheexperts@agy.com

**Europe**  
Le Gemellon Nord  
57 Boulevard Marius Vivier Merle  
69003 Lyon, France  
Phone: +(33) 4727 81775  
Fax: +(33) 4727 81780

**Asia**  
Suite 1306-8, Bldg 1  
No. 1628 Jinshajiang Rd.  
Shanghai 200333 China  
Phone: +(86) 21 3251 3871  
Fax: +(86) 21 3251 2839

[www.agy.com](http://www.agy.com)

#### DISCLAIMER OF LIABILITY

This data is offered solely as a guide in the selection of a reinforcement. The information contained in this publication is based on actual laboratory data and field test experience. We believe this information to be reliable, but do not guarantee its applicability to the user's process or assume any liability arising out of its use or performance. The user, by accepting the products described herein, agrees to be responsible for thoroughly testing any application to determine its suitability before committing to production. It is important for the user to determine the properties of its own commercial compounds when using this or any other reinforcement.

BECAUSE OF NUMEROUS FACTORS AFFECTING RESULTS, WE MAKE NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. STATEMENTS IN THIS DOCUMENT SHALL NOT BE CONSTRUED AS REPRESENTATIONS OR WARRANTIES OR AS INDUCEMENTS TO INFRINGE ANY PATENT OR VIOLATE ANY LAW, SAFETY CODE, OR INSURANCE REGULATION.